UDDE0600A5ARBKC643M

Produktnummer: 3524487

UDDE0600A5ARBKC643M

Harvi II. UDDE. Unequal Flute Spacing. With neck.
• Kennametal standard dimensions.
• Non-center cutting.
• Ramping up to 3°.
• Optimized geometry for titanium machining.
• Unequal flute spacing minimizes chatter for smoother machining.
• Single tool for both roughing and finishing operations requiring fewer setups.
• Five-flute geometry enables slotting up to 1 x D.



KennametalSpesifikasjoner

[D] Shank Diameter	6.0000
ISO Catalog Number	UDDE0600A5ARB
Grade	KC643M
[D3] Neck Diameter	5.64
Number of Flutes	5
Adapter Style Machine Side	Straight-Cylindrical
[R] Corner Radius	1
[L3] Maximum Depth End Mill	18
[L] Overall Length	63
[D1] Effective Cutting Dia	6
[D] Adapter Shank Bore Dia	6
[AP1MAX] 1st Max Cut Depth	13
Vekt	0.024 kg
Bredde/tykkelse	0 mm
Høyde	0 mm
Volum	0.02 liter
TypeW	N/A
Dimensjon	0
Nøkkelvidde	0 mm

Form	RADIE
Drivtype	N/A
Batterispenning	N/A
Kategori/IP/digital	N/A
kW	0
Modul/profil	N/A
Tanning	5
Innvendig diameter	0 mm
Utvendig diameter	0 mm
Type	NEDSLIPT FRES
Type 4	0
Lengde X dia	3XD
Delelengde	0 mm
Type 3	0
Serie	HARVI II
Metrisk/tomme	N/A
Kvalitet	KC643M
Tekst	N/A
Materiale	N/A
Bredde ytre ring	0 mm
Bredde indre ring	0 mm
Korning	N/A
Type 2	0
Type 5	0
Type 7	N/A
Bordiameter	0 mm
Bortype	N/A
Borelengde	N/A
Diameter	6 mm
Neseradius	1 mm
Arbeidsmateriale	Stål, Rustfritt stål, Støpejern, Superlegering, Herdet stål
Størrelse	N/A
Lengde	13 mm
Antall tenner/rader/deling/spor	N/A
Bruksområde	N/A
Tange/hull	N/A



Les mer om produktet her:
https://www.ail.no/product?number=3524487