

# F4AS1000AWL38R050 KCPM15

Produktnummer: 4046242

F4AS1000AWL38R050KCPM15

Harvi I. UBDE. F4AS..WM-WX-WL. Unequal Flute Spacing.  
With Neck.

Kennametal standard dimensions.


- Centre cutting.
- Unequal flute spacing minimises chatter for smoother machining.
- Single tool for both roughing and finishing operations requiring fewer setups.



## Spesifikasjoner Kennametal

Vekt	0.086 kg
Bredde/tykkelse	0 mm
Høyde	0 mm
Volum	0.05 liter
Dimensjon	0
Nøkkelvidde	0 mm
Form	RADIE
kW	0
Tanning	4
Innvendig diameter	0 mm
Utvendig diameter	0 mm
Type	NEDSLIPT FRES
Type 4	0
Lengde X dia	3XD
Delelengde	0 mm
Type 3	0
Serie	HARVI I
Kvalitet	KCPM15
Bredde ytre ring	0 mm

Bredde indre ring	0 mm
Type 2	0
Type 5	0
Bordiameter	0 mm
Diameter	10 mm
Neseradius	0.5 mm
Arbeidsmateriale	Stål, Rustfritt stål, Støpejern, Herdet stål
Lengde	15 mm
Kvalitet	KCPM15
Hjørnetype	Radius
D1	10.0000
Pakke Størrelse	1
Beskrivelse	HARVI ENDMILL A D=10 Z=4 38DEG
[D] Shank Diameter	10.0000
[L3] Brukende lengde	30.0000
LS	40.0000
[L] Total Lengde	76.0000
Skaft Type	Straight-Cylindrical
Skaft Type	PLAIN
[Re] Radius	0.5000
Ap1 Maks	15.0000
Platform	HARVI I
Material Hoved Grupper	Steel,Stainless Steel,Cast Iron,Hardened Materials
[D1] Diameter	10.0000
[D3] Nakke Diameter	sep.00
Varekode	F4AS1000AWL38R050
L2	76.0000,40.0000





Les mer om produktet her:

<https://www.ail.no/product?number=4046242>