

F4AW0600AWL38E120 KCPM15

Produktnummer: 4046487

F4AW0600AWL38E120KCPM15

Harvi I. F4AW..WL-WX. Unequal Flute Spacing. Extended Reach. Ball Nose.


- Kennametal standard dimensions.
- Centre cutting.
- Unequal flute spacing minimises chatter for smoother machining.
- Single tool for both roughing and finishing operations requiring fewer setups.



Spesifikasjoner Kennametal

| | |
|--------------------|---------------|
| Vekt | 0.034 kg |
| Bredde/tykkelse | 0 mm |
| Høyde | 0 mm |
| Volum | 0.02 liter |
| Dimensjon | 0 |
| Nøkkelvidde | 0 mm |
| Form | KULEFRES |
| kW | 0 |
| Tanning | 4 |
| Innvendig diameter | 0 mm |
| Utvendig diameter | 0 mm |
| Type | NEDSLIPT FRES |
| Type 4 | 0 |
| Lengde X dia | 2XD |
| Delelengde | 0 mm |
| Type 3 | 0 |
| Serie | HARVI I |
| Kvalitet | KCPM15 |
| Bredde ytre ring | 0 mm |

| | |
|------------------------|--|
| Bredde indre ring | 0 mm |
| Type 2 | 0 |
| Type 5 | 0 |
| Bordiameter | 0 mm |
| Diameter | 6 mm |
| Neseradius | 3 mm |
| Arbeidsmateriale | Stål, Rustfritt stål, Støpejern, Herdet stål |
| Lengde | 6 mm |
| Kvalitet | KCPM15 |
| Hjørnetype | Ball Nose |
| D1 | 6.0000 |
| Pakke Størrelse | 1 |
| Beskrivelse | HARVI ENDMILL A D=6 Z=4 38DEG |
| [D] Shank Diameter | 6.0000 |
| [L3] Brukende lengde | 12.0000 |
| LS | 64.0000 |
| [L] Total Lengde | 76.0000 |
| Skaft Type | Straight-Cylindrical |
| Skaft Type | PLAIN |
| Ap1 Maks | 6.0000 |
| Platform | HARVI I |
| Material Hoved Grupper | Steel,Stainless Steel,Cast Iron,Hardened Materials |
| [D1] Diameter | 6.0000 |
| [D3] Nakke Diameter | mai.00 |
| Varekode | F4AW0600AWL38E120 |
| L2 | 76.0000,36.0000 |





Les mer om produktet her:

<https://www.ail.no/product?number=4046487>